



World Class  
Solutions

# 19" RACK MOUNT NEMA 4/12 - UL LISTED SERVER ENCLOSURES

Strong & Durable Steel  
Outdoor Weatherproof  
Climate Control Options

NEMACO™

### 19" RACKMOUNT APPLICATIONS:

NEMACO offers exceptional and rugged indoor & outdoor server rack enclosures with industry standard 19" EIA adjustable rack rails for electronic equipment modules. The 19" rackmount enclosures and cabinets are weather proof designed for all outdoor weather conditions including the hot desert sun, heavy wet rain and freezing ice cold weather snow storms. Nemaco 19" rack mount enclosures have been installed for many applications: security, surveillance, radar systems, SCADA control systems, satellite telecom, power plants, fiber optic systems and data acquisition systems for many industries, commercial and military applications.

### INDUSTRY STANDARDS:

- UL 50 and UL 50E; File Number E507642
- cUL listed per CSA C22.2 No. 94; File Number E507642
- CSA C22.2 No. 94.1-15 and 94.2-15
- NEMA/EEMAC: Types 4, 4X, and 12
- IEC 60529 Type IP66



### STANDARD FEATURES:

- Easy access front and rear doors provide great quick access for easy repair & equipment maintenance.
- 2-post rackrails are standard for front door enclosure.
- 4-post rackrails are standard for front & rear doors
- 19" rackrails are designed to be fully adjustable in sliding tracks given flexibility setup.
- 19" rackrails come standard with #10-32 tapped holes.
- 3PT latch padlock handles are easy for everyday use.
- All seams are fully welded and ground smooth.
- Ground studs come standard on enclosure's door and body providing proper bonding and grounding.
- White, 61 Gray, 70 Gray, and Black powdercoat colors are standard colors. Custom colors are available.
- Standard 1/2" thick (R3.2) Radiant Barrier Insulation provides good thermal protection.
- 6" Standard floor kit provides the right height protection against wet ground, minor floor flooding or outdoor snow.

### ENCLOSURE SPECIFICATIONS:

- NEMA 4 Gasket Door Seal for Water Resistance
- NEMA 4 Rated Door Hardware & Latches
- Precision Fit Door for Gasket Seal & Easy Turn Latch
- Continuous Welded Enclosure Corner Seams
- 12 gauge steel used on 60" tall and above enclosures
- 14 gauge steel used on below 60" tall enclosures
- EIA Standard Rack rails made of coated 12 gauge steel
- #10-32 tapped holes on rack rails (powder coated)
- 1/4-20 ground studs on enclosure's door and body
- Foam-in-place gasket with 1.25" extra wide
- Heavy duty 3pt. latch padlock handle
- Heavy duty lifting pads welded top
- 6" Floor mouting kit standard

### ACCESSORIES and MODIFICATIONS:

- 1,000 to 20,000 BTUH air-conditioned units
- 92 to 350 CFM filter fans (120V, low voltage)
- A/C service hatch door (easy access)
- Top and side sunshield covers
- Removable lifting pads
- Removable door hinge
- Key lockable handle
- Heavy duty Stainless rackrails
- 3/8 Square mounting rack holes
- 3/4" thk. (R5) and 1" thk. (R6) Radiant Insulation
- Rack shelves, Drawers, and supports
- Rack hardware, high point screw and cage nuts
- 19" Rack copper busbar
- Vertical rack PDU
- Custom powder coat colors
- Clear window kit (Non-UL option)
- Access cover plate with holes and cutouts
- Quad outlet box with receptacles
- Door stopper, 135 degree opening
- Door tamper switch
- Print pocket (large & small)
- External mouting brackets
- 12" height floor mounting legs

**NEMA 4/12 - INDOOR / OUTDOOR NETWORK ENCLOSURES - 1 & 2 DOOR**

Outdoor  
Server  
Rack  
Cabinet



**POWDER COATED  
STEEL NEMA 4  
ENCLOSURES**



**STEEL ENCLOSURE STANDARD FEATURES:**

- Heavy duty lifting pads (welded)
- NEMA 4 gasket door seal for water resistance
- NEMA 4 rated door latch padlock handle
- Continuous welded enclosure corner seams
- Continuous steel door hinge
- 19" EIA 12 ga. standard rack rails
- #10-32 tapped holes on rack rails (powder coated)
- 1/4-20 ground studs on enclosure's door and body
- 6" Floor mounting kit standard

**ACCESSORIES:**

- A/C service hatch door (for easy access\_
- Top and side sunshield covers
- Stainless Steel Key lockable handle
- Heavy duty Stainless rackrails
- Door stopper, 135 degree opening
- 12" height floor mounting legs. Custom Floor Kits.

Door Access	Encl. Depth	Part Number	H	W	D	Max. Span	Rack Type	Rack U	Material	Matl. Thk.	Std. finish	Encl. Weight
Front	16D	N4-242416-F1DCS19	24	24	16	14.5	19" EIA	12 RU	Galv. Steel	14 ga.	ANSI 61	101.6
Front		N4-302416-F1DCS19	30	24	16	14.5	19" EIA	15 RU	Galv. Steel	14 ga.	ANSI 61	111.1
Front		N4-362416-F1DCS19	36	24	16	14.5	19" EIA	18 RU	Galv. Steel	14 ga.	ANSI 61	122.93
Front		N4-422416-F1DCS19	42	24	16	14.5	19" EIA	22 RU	Galv. Steel	14 ga.	ANSI 61	135.1
Front		N4-482416-F1DCS19	48	24	16	14.5	19" EIA	25 RU	Galv. Steel	14 ga.	ANSI 61	150.22
Front		N4-542416-F1DCS19	54	24	16	14.5	19" EIA	29 RU	Galv. Steel	14 ga.	ANSI 61	160.46
Front		N4-602416-F1DCS19	60	24	16	14.5	19" EIA	32 RU	Galv. Steel	14 ga.	ANSI 61	172.29
Front		N4-662416-F1DCS19	66	24	16	14.5	19" EIA	36 RU	Galv. Steel	12 ga.	ANSI 61	238.76
Front		N4-722416-F1DCS19	72	24	16	14.5	19" EIA	39 RU	Galv. Steel	12 ga.	ANSI 61	252.06
Door Access	Encl. Depth	Part Number	H	W	D	Max. Span	Rack Type	Rack U	Material	Matl. Thk.	Std. finish	Encl. Weight
Front	20D	N4-242420-F1DCS19	24	24	20	18.5	19" EIA	12 RU	Galv. Steel	14 ga.	ANSI 61	117.2
Front		N4-302420-F1DCS19	30	24	20	18.5	19" EIA	15 RU	Galv. Steel	14 ga.	ANSI 61	127.77
Front		N4-362420-F1DCS19	36	24	20	18.5	19" EIA	18 RU	Galv. Steel	14 ga.	ANSI 61	140.67
Front		N4-422420-F1DCS19	42	24	20	18.5	19" EIA	22 RU	Galv. Steel	14 ga.	ANSI 61	153.9
Front		N4-482420-F1DCS19	48	24	20	18.5	19" EIA	25 RU	Galv. Steel	14 ga.	ANSI 61	170.09
Front		N4-542420-F1DCS19	54	24	20	18.5	19" EIA	29 RU	Galv. Steel	14 ga.	ANSI 61	181.39
Front		N4-602420-F1DCS19	60	24	20	18.5	19" EIA	32 RU	Galv. Steel	14 ga.	ANSI 61	194.29
Front		N4-662420-F1DCS19	66	24	20	18.5	19" EIA	36 RU	Galv. Steel	12 ga.	ANSI 61	268.19
Front		N4-722420-F1DCS19	72	24	20	18.5	19" EIA	39 RU	Galv. Steel	12 ga.	ANSI 61	282.99
Door Access	Encl. Depth	Part Number	H	W	D	Max. Span	Rack Type	Rack U	Material	Matl. Thk.	Std. finish	Encl. Weight
Front	24D	N4-242424-F1DCS19	24	24	24	22.5	19" EIA	12 RU	Galv. Steel	14 ga.	ANSI 61	135.78
Front		N4-302424-F1DCS19	30	24	24	22.5	19" EIA	15 RU	Galv. Steel	14 ga.	ANSI 61	147.41
Front		N4-362424-F1DCS19	36	24	24	22.5	19" EIA	18 RU	Galv. Steel	14 ga.	ANSI 61	161.37
Front		N4-422424-F1DCS19	42	24	24	22.5	19" EIA	22 RU	Galv. Steel	14 ga.	ANSI 61	175.67
Front		N4-482424-F1DCS19	48	24	24	22.5	19" EIA	25 RU	Galv. Steel	14 ga.	ANSI 61	192.93
Front		N4-542424-F1DCS19	54	24	24	22.5	19" EIA	29 RU	Galv. Steel	14 ga.	ANSI 61	205.3
Front		N4-602424-F1DCS19	60	24	24	22.5	19" EIA	32 RU	Galv. Steel	14 ga.	ANSI 61	219.26
Front		N4-662424-F1DCS19	66	24	24	22.5	19" EIA	36 RU	Galv. Steel	12 ga.	ANSI 61	300.6
Front		N4-722424-F1DCS19	72	24	24	22.5	19" EIA	39 RU	Galv. Steel	12 ga.	ANSI 61	316.89
Door Access	Encl. Depth	Part Number	H	W	D	Max. Span	Rack Type	Rack U	Material	Matl. Thk.	Std. finish	Encl. Weight
Front	30D	N4-242430-F1DCS19	24	24	30	28.5	19" EIA	12 RU	Galv. Steel	14 ga.	ANSI 61	159.18
Front		N4-302430-F1DCS19	30	24	30	28.5	19" EIA	15 RU	Galv. Steel	14 ga.	ANSI 61	172.41
Front		N4-362430-F1DCS19	36	24	30	28.5	19" EIA	18 RU	Galv. Steel	14 ga.	ANSI 61	187.98
Front		N4-422430-F1DCS19	42	24	30	28.5	19" EIA	22 RU	Galv. Steel	14 ga.	ANSI 61	203.88
Front		N4-482430-F1DCS19	48	24	30	28.5	19" EIA	25 RU	Galv. Steel	14 ga.	ANSI 61	222.73
Front		N4-542430-F1DCS19	54	24	30	28.5	19" EIA	29 RU	Galv. Steel	14 ga.	ANSI 61	236.7
Front		N4-602430-F1DCS19	60	24	30	28.5	19" EIA	32 RU	Galv. Steel	14 ga.	ANSI 61	252.26
Front		N4-662430-F1DCS19	66	24	30	28.5	19" EIA	36 RU	Galv. Steel	12 ga.	ANSI 61	344.76
Front		N4-722430-F1DCS19	72	24	30	28.5	19" EIA	39 RU	Galv. Steel	12 ga.	ANSI 61	363.29

## NEMA 4/12 - Powder Coated 19" Floormount Enclosures 1 and 2 Door Rackmount Server Cabinet Designs

Door Access	Encl. Depth	Part Number	H	W	D	Max. Span	Rack Type	Rack U	Material	Matl. Thk.	Std. finish	Encl. Weight
Front/Rear	24D	N4-242424-F2DCS19	24	24	24	21	19" EIA	12 RU	Galv. Steel	14 ga.	ANSI 61	143.55
Front/Rear		N4-302424-F2DCS19	30	24	24	21	19" EIA	15 RU	Galv. Steel	14 ga.	ANSI 61	157.97
Front/Rear		N4-362424-F2DCS19	36	24	24	21	19" EIA	18 RU	Galv. Steel	14 ga.	ANSI 61	173.14
Front/Rear		N4-422424-F2DCS19	42	24	24	21	19" EIA	22 RU	Galv. Steel	14 ga.	ANSI 61	188.8
Front/Rear		N4-482424-F2DCS19	48	24	24	21	19" EIA	25 RU	Galv. Steel	14 ga.	ANSI 61	210.56
Front/Rear		N4-542424-F2DCS19	54	24	24	21	19" EIA	29 RU	Galv. Steel	14 ga.	ANSI 61	224.28
Front/Rear		N4-602424-F2DCS19	60	24	24	21	19" EIA	32 RU	Galv. Steel	14 ga.	ANSI 61	239.46
Front/Rear		N4-662424-F2DCS19	66	24	24	21	19" EIA	36 RU	Galv. Steel	12 ga.	ANSI 61	325.37
Front/Rear		N4-722424-F2DCS19	72	24	24	21	19" EIA	39 RU	Galv. Steel	12 ga.	ANSI 61	343.09
Door Access	Encl. Depth	Part Number	H	W	D	Max. Span	Rack Type	Rack U	Material	Matl. Thk.	Std. finish	Encl. Weight
Front/Rear	30D	N4-242430-F2DCS19	24	24	30	27	19" EIA	12 RU	Galv. Steel	14 ga.	ANSI 61	166.96
Front/Rear		N4-302430-F2DCS19	30	24	30	27	19" EIA	15 RU	Galv. Steel	14 ga.	ANSI 61	182.97
Front/Rear		N4-362430-F2DCS19	36	24	30	27	19" EIA	18 RU	Galv. Steel	14 ga.	ANSI 61	199.75
Front/Rear		N4-422430-F2DCS19	42	24	30	27	19" EIA	22 RU	Galv. Steel	14 ga.	ANSI 61	217
Front/Rear		N4-482430-F2DCS19	48	24	30	27	19" EIA	25 RU	Galv. Steel	14 ga.	ANSI 61	240.36
Front/Rear		N4-542430-F2DCS19	54	24	30	27	19" EIA	29 RU	Galv. Steel	14 ga.	ANSI 61	255.68
Front/Rear		N4-602430-F2DCS19	60	24	30	27	19" EIA	32 RU	Galv. Steel	14 ga.	ANSI 61	272.46
Front/Rear		N4-662430-F2DCS19	66	24	30	27	19" EIA	36 RU	Galv. Steel	12 ga.	ANSI 61	369.52
Front/Rear		N4-722430-F2DCS19	72	24	30	27	19" EIA	39 RU	Galv. Steel	12 ga.	ANSI 61	389.48
Door Access	Encl. Depth	Part Number	H	W	D	Max. Span	Rack Type	Rack U	Material	Matl. Thk.	Std. finish	Encl. Weight
Front/Rear	36D	N4-242436-F2DCS19	24	24	36	33	19" EIA	12 RU	Galv. Steel	14 ga.	ANSI 61	190.36
Front/Rear		N4-302436-F2DCS19	30	24	36	33	19" EIA	15 RU	Galv. Steel	14 ga.	ANSI 61	207.98
Front/Rear		N4-362436-F2DCS19	36	24	36	33	19" EIA	18 RU	Galv. Steel	14 ga.	ANSI 61	226.35
Front/Rear		N4-422436-F2DCS19	42	24	36	33	19" EIA	22 RU	Galv. Steel	14 ga.	ANSI 61	245.93
Front/Rear		N4-482436-F2DCS19	48	24	36	33	19" EIA	25 RU	Galv. Steel	14 ga.	ANSI 61	270.16
Front/Rear		N4-542436-F2DCS19	54	24	36	33	19" EIA	29 RU	Galv. Steel	14 ga.	ANSI 61	287.08
Front/Rear		N4-602436-F2DCS19	60	24	36	33	19" EIA	32 RU	Galv. Steel	14 ga.	ANSI 61	305.46
Front/Rear		N4-662436-F2DCS19	66	24	36	33	19" EIA	36 RU	Galv. Steel	12 ga.	ANSI 61	413.68
Front/Rear		N4-722436-F2DCS19	72	24	36	33	19" EIA	39 RU	Galv. Steel	12 ga.	ANSI 61	435.88
Door Access	Encl. Depth	Part Number	H	W	D	Max. Span	Rack Type	Rack U	Material	Matl. Thk.	Std. finish	Encl. Weight
Front/Rear	42D	N4-242442-F2DCS19	24	24	42	39	19" EIA	12 RU	Galv. Steel	14 ga.	ANSI 61	213.77
Front/Rear		N4-302442-F2DCS19	30	24	42	39	19" EIA	15 RU	Galv. Steel	14 ga.	ANSI 61	232.98
Front/Rear		N4-362442-F2DCS19	36	24	42	39	19" EIA	18 RU	Galv. Steel	14 ga.	ANSI 61	252.95
Front/Rear		N4-422442-F2DCS19	42	24	42	39	19" EIA	22 RU	Galv. Steel	14 ga.	ANSI 61	273.4
Front/Rear		N4-482442-F2DCS19	48	24	42	39	19" EIA	25 RU	Galv. Steel	14 ga.	ANSI 61	299.96
Front/Rear		N4-542442-F2DCS19	54	24	42	39	19" EIA	29 RU	Galv. Steel	14 ga.	ANSI 61	318.48
Front/Rear		N4-602442-F2DCS19	60	24	42	39	19" EIA	32 RU	Galv. Steel	14 ga.	ANSI 61	338.46
Front/Rear		N4-662442-F2DCS19	66	24	42	39	19" EIA	36 RU	Galv. Steel	12 ga.	ANSI 61	457.83
Front/Rear		N4-722442-F2DCS19	72	24	42	39	19" EIA	39 RU	Galv. Steel	12 ga.	ANSI 61	482.27



**EASY ACCESS FOR ALL RACKMOUNT SERVER EQUIPMENT  
NEMACO PART# N4-542430-F2DCS19 WITH A/C SHOWN**

**NEMA 4/12 - ALUMINUM NETWORK ENCLOSURES - 1 & 2 DOOR**

Custom Enclosure Options Available



POWDER COATED ALUMINUM NEMA4 ENCLOSURES



**ALUMINUM ENCLOSURE STANDARD FEATURES:**

- Heavy duty removable lifting pads (standard)
- NEMA 4 gasket door seal for water resistance
- NEMA 4 rated door latch padlock handle
- Continuous welded enclosure corner seams
- Continuous stainless steel door hinge
- 19" EIA 12 ga. standard rack rails
- #10-32 tapped holes on rack rails (powder coated)
- 1/4-20 ground studs on enclosure's door and body
- 6" Floor mounting kit standard

**ACCESSORIES:**

- A/C service hatch door
- Top and side sunshield cover
- SS Key lockable handle
- Heavy duty Stainless rackrails
- Door stopper, 135 degree opening
- External mounting brackets

Door Access	Encl. Depth	Part Number	H	W	D	Max. Span	Rack Type	Rack U	Material	Matl. Thk.	Std. finish	Encl. Weight
Front	16D	N4-242416-F1DAL19	24	24	16	14.5	19" EIA	12 RU	Aluminum	0.09	White	47.04
Front		N4-302416-F1DAL19	30	24	16	14.5	19" EIA	15 RU	Aluminum	0.09	White	51.89
Front		N4-362416-F1DAL19	36	24	16	14.5	19" EIA	18 RU	Aluminum	0.09	White	57.1
Front		N4-422416-F1DAL19	42	24	16	14.5	19" EIA	22 RU	Aluminum	0.125	White	77.45
Front		N4-482416-F1DAL19	48	24	16	14.5	19" EIA	25 RU	Aluminum	0.125	White	87.65
Front		N4-542416-F1DAL19	54	24	16	14.5	19" EIA	29 RU	Aluminum	0.125	White	93.76
Front		N4-602416-F1DAL19	60	24	16	14.5	19" EIA	32 RU	Aluminum	0.125	White	100.67
Front		N4-662416-F1DAL19	66	24	16	14.5	19" EIA	36 RU	Aluminum	0.125	White	107.73
Front		N4-722416-F1DAL19	72	24	16	14.5	19" EIA	39 RU	Aluminum	0.125	White	113.47
Door Access	Encl. Depth	Part Number	H	W	D	Max. Span	Rack Type	Rack U	Material	Matl. Thk.	Std. finish	Encl. Weight
Front	20D	N4-242420-F1DAL19	24	24	20	18.5	19" EIA	12 RU	Aluminum	0.09	White	54.68
Front		N4-302420-F1DAL19	30	24	20	18.5	19" EIA	15 RU	Aluminum	0.09	White	59.96
Front		N4-362420-F1DAL19	36	24	20	18.5	19" EIA	18 RU	Aluminum	0.09	White	65.59
Front		N4-422420-F1DAL19	42	24	20	18.5	19" EIA	22 RU	Aluminum	0.125	White	88.15
Front		N4-482420-F1DAL19	48	24	20	18.5	19" EIA	25 RU	Aluminum	0.125	White	98.94
Front		N4-542420-F1DAL19	54	24	20	18.5	19" EIA	29 RU	Aluminum	0.125	White	105.62
Front		N4-602420-F1DAL19	60	24	20	18.5	19" EIA	32 RU	Aluminum	0.125	White	113.12
Front		N4-662420-F1DAL19	66	24	20	18.5	19" EIA	36 RU	Aluminum	0.125	White	120.76
Front		N4-722420-F1DAL19	72	24	20	18.5	19" EIA	39 RU	Aluminum	0.125	White	127.1
Door Access	Encl. Depth	Part Number	H	W	D	Max. Span	Rack Type	Rack U	Material	Matl. Thk.	Std. finish	Encl. Weight
Front	24D	N4-242424-F1DAL19	24	24	24	22.5	19" EIA	12 RU	Aluminum	0.09	White	65.29
Front		N4-302424-F1DAL19	30	24	24	22.5	19" EIA	15 RU	Aluminum	0.09	White	70.99
Front		N4-362424-F1DAL19	36	24	24	22.5	19" EIA	18 RU	Aluminum	0.09	White	77.04
Front		N4-422424-F1DAL19	42	24	24	22.5	19" EIA	22 RU	Aluminum	0.125	White	101.44
Front		N4-482424-F1DAL19	48	24	24	22.5	19" EIA	25 RU	Aluminum	0.125	White	112.82
Front		N4-542424-F1DAL19	54	24	24	22.5	19" EIA	29 RU	Aluminum	0.125	White	120.09
Front		N4-602424-F1DAL19	60	24	24	22.5	19" EIA	32 RU	Aluminum	0.125	White	128.17
Front		N4-662424-F1DAL19	66	24	24	22.5	19" EIA	36 RU	Aluminum	0.125	White	136.4
Front		N4-722424-F1DAL19	72	24	24	22.5	19" EIA	39 RU	Aluminum	0.125	White	143.32
Door Access	Encl. Depth	Part Number	H	W	D	Max. Span	Rack Type	Rack U	Material	Matl. Thk.	Std. finish	Encl. Weight
Front	30D	N4-242430-F1DAL19	24	24	30	28.5	19" EIA	12 RU	Aluminum	0.09	White	78.33
Front		N4-302430-F1DAL19	30	24	30	28.5	19" EIA	15 RU	Aluminum	0.09	White	83.09
Front		N4-362430-F1DAL19	36	24	30	28.5	19" EIA	18 RU	Aluminum	0.09	White	89.77
Front		N4-422430-F1DAL19	42	24	30	28.5	19" EIA	22 RU	Aluminum	0.125	White	141.69
Front		N4-482430-F1DAL19	48	24	30	28.5	19" EIA	25 RU	Aluminum	0.125	White	129.74
Front		N4-542430-F1DAL19	54	24	30	28.5	19" EIA	29 RU	Aluminum	0.125	White	137.89
Front		N4-602430-F1DAL19	60	24	30	28.5	19" EIA	32 RU	Aluminum	0.125	White	146.85
Front		N4-662430-F1DAL19	66	24	30	28.5	19" EIA	36 RU	Aluminum	0.125	White	155.96
Front		N4-722430-F1DAL19	72	24	30	28.5	19" EIA	39 RU	Aluminum	0.125	White	162.21

## NEMA 4/12 - Powder Coated 19" Floormount Enclosures 1 and 2 Door Rackmount Server Cabinet Designs

Door Access	Encl. Depth	Part Number	H	W	D	Max. Span	Rack Type	Rack U	Material	Matl. Thk.	Std. finish	Encl. Weight
Front/Rear	24D	N4-242424-F2DAL19	24	24	24	21	19" EIA	12 RU	Aluminum	0.09	White	71.98
Front/Rear		N4-302424-F2DAL19	30	24	24	21	19" EIA	15 RU	Aluminum	0.09	White	78.64
Front/Rear		N4-362424-F2DAL19	36	24	24	21	19" EIA	18 RU	Aluminum	0.09	White	85.7
Front/Rear		N4-422424-F2DAL19	42	24	24	21	19" EIA	22 RU	Aluminum	0.125	White	112.33
Front/Rear		N4-482424-F2DAL19	48	24	24	21	19" EIA	25 RU	Aluminum	0.125	White	128.09
Front/Rear		N4-542424-F2DAL19	54	24	24	21	19" EIA	29 RU	Aluminum	0.125	White	136.61
Front/Rear		N4-602424-F2DAL19	60	24	24	21	19" EIA	32 RU	Aluminum	0.125	White	145.79
Front/Rear		N4-662424-F2DAL19	66	24	24	21	19" EIA	36 RU	Aluminum	0.125	White	155.25
Front/Rear		N4-722424-F2DAL19	72	24	24	21	19" EIA	39 RU	Aluminum	0.125	White	163.27
Door Access	Encl. Depth	Part Number	H	W	D	Max. Span	Rack Type	Rack U	Material	Matl. Thk.	Std. finish	Encl. Weight
Front/Rear	30D	N4-242430-F2DAL19	24	24	30	27	19" EIA	12 RU	Aluminum	0.09	White	83.44
Front/Rear		N4-302430-F2DAL19	30	24	30	27	19" EIA	15 RU	Aluminum	0.09	White	90.74
Front/Rear		N4-362430-F2DAL19	36	24	30	27	19" EIA	18 RU	Aluminum	0.09	White	98.43
Front/Rear		N4-422430-F2DAL19	42	24	30	27	19" EIA	22 RU	Aluminum	0.125	White	152.58
Front/Rear		N4-482430-F2DAL19	48	24	30	27	19" EIA	25 RU	Aluminum	0.125	White	145.02
Front/Rear		N4-542430-F2DAL19	54	24	30	27	19" EIA	29 RU	Aluminum	0.125	White	154.41
Front/Rear		N4-602430-F2DAL19	60	24	30	27	19" EIA	32 RU	Aluminum	0.125	White	164.47
Front/Rear		N4-662430-F2DAL19	66	24	30	27	19" EIA	36 RU	Aluminum	0.125	White	174.81
Front/Rear		N4-722430-F2DAL19	72	24	30	27	19" EIA	39 RU	Aluminum	0.125	White	182.16
Door Access	Encl. Depth	Part Number	H	W	D	Max. Span	Rack Type	Rack U	Material	Matl. Thk.	Std. finish	Encl. Weight
Front/Rear	36D	N4-242436-F2DAL19	24	24	36	33	19" EIA	12 RU	Aluminum	0.09	White	94.8
Front/Rear		N4-302436-F2DAL19	30	24	36	33	19" EIA	15 RU	Aluminum	0.09	White	102.83
Front/Rear		N4-362436-F2DAL19	36	24	36	33	19" EIA	18 RU	Aluminum	0.09	White	111.16
Front/Rear		N4-422436-F2DAL19	42	24	36	33	19" EIA	22 RU	Aluminum	0.125	White	172.85
Front/Rear		N4-482436-F2DAL19	48	24	36	33	19" EIA	25 RU	Aluminum	0.125	White	161.94
Front/Rear		N4-542436-F2DAL19	54	24	36	33	19" EIA	29 RU	Aluminum	0.125	White	172.21
Front/Rear		N4-602436-F2DAL19	60	24	36	33	19" EIA	32 RU	Aluminum	0.125	White	183.14
Front/Rear		N4-662436-F2DAL19	66	24	36	33	19" EIA	36 RU	Aluminum	0.125	White	194.37
Front/Rear		N4-722436-F2DAL19	72	24	36	33	19" EIA	39 RU	Aluminum	0.125	White	204.14
Door Access	Encl. Depth	Part Number	H	W	D	Max. Span	Rack Type	Rack U	Material	Matl. Thk.	Std. finish	Encl. Weight
Front/Rear	42D	N4-242442-F2DAL19	24	24	42	39	19" EIA	12 RU	Aluminum	0.09	White	106.26
Front/Rear		N4-302442-F2DAL19	30	24	42	39	19" EIA	15 RU	Aluminum	0.09	White	114.92
Front/Rear		N4-362442-F2DAL19	36	24	42	39	19" EIA	18 RU	Aluminum	0.09	White	123.88
Front/Rear		N4-422442-F2DAL19	42	24	42	39	19" EIA	22 RU	Aluminum	0.125	White	193.12
Front/Rear		N4-482442-F2DAL19	48	24	42	39	19" EIA	25 RU	Aluminum	0.125	White	178.86
Front/Rear		N4-542442-F2DAL19	54	24	42	39	19" EIA	29 RU	Aluminum	0.125	White	190.01
Front/Rear		N4-602442-F2DAL19	60	24	42	39	19" EIA	32 RU	Aluminum	0.125	White	201.82
Front/Rear		N4-662442-F2DAL19	66	24	42	39	19" EIA	36 RU	Aluminum	0.125	White	213.92
Front/Rear		N4-722442-F2DAL19	72	24	42	39	19" EIA	39 RU	Aluminum	0.125	White	224.57



**EASY ACCESS ALUMINUM SERVER RACK CABINET - LIGHT WEIGHT - EASY INSTALLATION**

Nemaco Technology, LLC. "Nemaco" is a trademark of Nemaco Technology, LLC. All Rights Reserved.

Specifications are subject to change without notice. Nemaco-N4-19R-FM-1D-2D-Rev2024-04-20